

Books

- [1] I. Kuehne. *Resonante mikromechanische Energiewandler*. Vol. 8. Aktuelle Berichte aus der Mikrosystemtechnik – Recent Developments in MEMS. PhD thesis (Saarland University). Aachen: Shaker Verlag, 2009. ISBN: 978-3-8322-8291-2. URL: <https://www.shaker.de/de/content/catalogue/index.asp?ID=8&ISBN=978-3-8322-8291-2>.

Journals

- [2] N. Philippin, I. Kuehne, and G. Schrag. “Conformable Electronics with Conductive Silver Structures by Electrohydrodynamic Printing”. In: *IEEE Journal on Flexible Electronics* 3.7 (2024), pp. 348–355. DOI: [doi:10.1109/JFLEX.2024.3420263](https://doi.org/10.1109/JFLEX.2024.3420263). URL: <https://ieeexplore.ieee.org/document/10577118>.
- [3] A. Frey, M. Schreiter, J. Seidel, X. Li, D. Wagner, and I. Kuehne. “Systementwurf eines MST basierten piezoelektrischen Versorgungsmoduls fuer energieautarke Anwendungen”. In: *tm - Technisches Messen* 80.2 (2013), pp. 53–60. DOI: [doi:10.1524/teme.2013.0007](https://doi.org/10.1524/teme.2013.0007). URL: <https://www.degruyter.com/document/doi/10.1524/teme.2013.0007>.
- [4] I. Kuehne, M. Schreiter, X. Li, T. Hehn, M. Thewes, D. Wagner, Y. Manoli, G. Scholl, and A. Frey. “Energieautarke Sensorik im Automobil”. In: *tm - Technisches Messen* 80.3 (2013), pp. 92–97. DOI: [doi:10.1524/teme.2013.0009](https://doi.org/10.1524/teme.2013.0009). URL: <https://www.degruyter.com/document/doi/10.1524/teme.2013.0009>.
- [5] J. Hand, A. Frey, and I. Kuehne. “Modeling Optimizes a Piezoelectric Energy Harvester Used in Car Tires”. In: *Designfax – Technology for OEM Design Engineers* 8.30 (2012), pp. 12–15. URL: <https://www.designfax.net/cms/dfx/opens/article-view-dfx.php?nid=4&bid=165&et=featurearticle&pn=04>.
- [6] J. Hand, A. Frey, and I. Kuehne. “Modeling Optimizes a Piezoelectric Energy Harvester Used in Car Tires”. In: *COMSOL News* (2012), pp. 8–10. URL: <https://www.comsol.com/story/modeling-optimizes-a-piezoelectric-energy-harvester-used-in-car-tires-13701>.
- [7] T. Hehn, F. Hagedorn, D. Maurath, D. Marinkovic, I. Kuehne, A. Frey, and Y. Manoli. “A Fully Autonomous Integrated Interface Circuit for Piezoelectric Harvesters”. In: *IEEE Journal of Solid-State Circuits* 47.9 (2012), pp. 2185–2198. DOI: [10.1109/JSSC.2012.2200530](https://doi.org/10.1109/JSSC.2012.2200530). URL: <https://ieeexplore.ieee.org/document/6227309>.
- [8] I. Kuehne and A. Frey. “Energy Autonomous Microsystems for Automotive Applications”. In: *Microsystems Technology in Germany 2012* (2012), pp. 54–55. ISSN: 2191-7183.
- [9] A. Frey, I. Kuehne, M. Schienle, and G. Wurmman. “Optimierung von elektrochemischen Sensoren”. In: *Digital Engineering Magazin* 7.11 (2011), pp. 58–59. ISSN: 1435-9766.
- [10] A. Frey, J. Seidel, and I. Kuehne. “System design and modeling of a piezoelectric energy harvesting module”. In: *SPIE Newsroom* (2011). DOI: [10.1117/2.1201106.003698](https://doi.org/10.1117/2.1201106.003698). URL: https://spie.org/news/3698-system-design-and-modeling-of-a-piezoelectric-energy-harvesting-module#=_.
- [11] P. Kruppa, A. Frey, I. Kuehne, M. Schienle, N. Persike, T. Kratzmueller, G. Hartwich, and D. Schmitt-Landsiedel. “A digital CMOS-based 24x16 sensor array platform for fully automatic electrochemical DNA detection”. In: *Biosensors and Bioelectronics* 26.4 (2010), pp. 1414–1419. DOI: [10.1016/j.bios.2010.07.070](https://doi.org/10.1016/j.bios.2010.07.070). URL: <https://www.sciencedirect.com/science/article/pii/S0956566310004458>.
- [12] I. Kuehne, A. Frey, D. Marinkovic, G. Eckstein, and H. Seidel. “Power MEMS – A Capacitive Vibration-To-Electrical Energy Converter With Built-In Voltage”. In: *Sensors and Actuators A: Physical* 142.1 (2008). Special Issue: Eurosensors XX The 20th European conference on Solid-State Transducers, pp. 263–269. ISSN: 0924-4247. DOI: [10.1016/j.sna.2007.02.036](https://doi.org/10.1016/j.sna.2007.02.036). URL: <https://www.sciencedirect.com/science/article/pii/S0924424707001094>.
- [13] I. Kuehne, D. Marinkovic, G. Eckstein, and H. Seidel. “A new approach for MEMS power generation based on a piezoelectric diaphragm”. In: *Sensors and Actuators A: Physical* 142.1 (2008). Special Issue: Eurosensors XX The 20th European conference on Solid-State Transducers, pp. 292–297. ISSN: 0924-4247. DOI: [10.1016/j.sna.2007.04.031](https://doi.org/10.1016/j.sna.2007.04.031). URL: <https://www.sciencedirect.com/science/article/pii/S092442470700297X>.

- [14] I. Kuehne, G. Eckstein, and H. Seidel. “MEMS-basierter piezoelektrischer Energiewandler (MEMS-based Piezoelectric Energy Converter)”. In: *tm - Technisches Messen* 74.12 (2007), pp. 629–635. DOI: [doi:10.1524/teme.2007.74.12.629](https://doi.org/10.1524/teme.2007.74.12.629). URL: <https://www.degruyter.com/document/doi/10.1524/teme.2007.74.12.629>.
- [15] D. Sickert, S. Taeger, I. Kuehne, M. Mertig, W. Pompe, and G. Eckstein. “Strain sensing with carbon nanotube devices”. In: *physica status solidi (b)* 243.13 (2006), pp. 3542–3545. DOI: [10.1002/pssb.200669123](https://doi.org/10.1002/pssb.200669123). URL: <https://onlinelibrary.wiley.com/doi/abs/10.1002/pssb.200669123>.

Proceedings

- [16] A. Frey, N. Philippin, T. Koch, R. Thewes, and I. Kuehne. “Electrolyte Potential Control Schemes for Redox-Cycling”. In: *20th International Conference on Electroanalysis (ESEAC)*. Lisbon, Portugal, June 2026. Forthcoming.
- [17] N. Philippin, I. Kuehne, and G. Schrag. “Electrohydrodynamic Printing of Nanoparticle-Based Silver Inks: A Study Towards Fabrication of Skin-Like Wearable Devices”. In: *Mikrosystemtechnik-Kongress*. Duisburg, Germany, Oct. 2025, pp. 38–41. ISBN: 978-3-8007-6614-7. DOI: [10.30420/456614024](https://doi.org/10.30420/456614024). URL: <https://ieeexplore.ieee.org/document/11440194>.
- [18] N. Philippin, I. Kuehne, and G. Schrag. “Electrohydrodynamic High-Precision Printing: An Emerging Approach for Fabrication of Wearable Microsensors”. In: *IEEE BioSensors Conference (BioSensors)*. San Diego, USA, Aug. 2025. DOI: [10.1109/BioSensors65002.2025.11239128](https://doi.org/10.1109/BioSensors65002.2025.11239128). URL: <https://ieeexplore.ieee.org/document/11239128>.
- [19] N. Philippin, I. Kuehne, A. Frey, and G. Schrag. “Electrohydrodynamic Jet Printing for Advanced Fabrication of Wearable Biosensing Patches: a Numerical and Experimental Perspective”. In: *Transducers - The 23rd International Conference on Solid-State Sensors, Actuators and Microsystems*. Orlando, USA, June 2025, pp. 1449–1452. DOI: [10.1109/Transducers61432.2025.11109153](https://doi.org/10.1109/Transducers61432.2025.11109153). URL: <https://ieeexplore.ieee.org/document/11109153>.
- [20] N. Philippin, I. Kuehne, A. Frey, and G. Schrag. “Numerical Analysis of Electrohydrodynamic Continuous Jet Printing for High-Precision Patterning of Wearable Sensor Elements”. In: *26th International Conference on Thermal, Mechanical and Multi-Physics Simulation and Experiments in Microelectronics and Microsystems (EuroSimE 2025)*. Utrecht, The Netherlands, Apr. 2025, pp. 1–8. DOI: [10.1109/EuroSimE65125.2025.11006587](https://doi.org/10.1109/EuroSimE65125.2025.11006587). URL: <https://ieeexplore.ieee.org/document/11006587>.
- [21] I. Kuehne, N. Philippin, and A. Frey. “Magnetophorese – Separation magnetischer Mikro- und Nanopartikel in einer Flüssigkeitssäule”. In: *Symposium Elektromagnetismus*. Kuenzelsau, Germany, Feb. 2025, pp. 167–177. ISBN: 978-3-943563-55-9.
- [22] I. Kuehne, N. Philippin, and A. Frey. “Magnetic particle separation in a liquid column based on magnetophoresis”. In: *COMSOL Conference*. Florence, Italy, Oct. 2024. URL: <https://www.comsol.com/paper/magnetic-particle-separation-in-a-liquid-column-based-on-magnetophoresis-134802>.
- [23] N. Philippin, A. Frey, and I. Kuehne. “Numerical Analysis of Hyperelastic Material Behavior Towards Shape-Adjustable Sensor Devices”. In: *COMSOL Conference*. Florence, Italy, Oct. 2024. URL: <https://www.comsol.com/paper/numerical-analysis-of-hyperelastic-material-behavior-towards-shape-adjustable-sensor-devices-134592>.
- [24] N. Philippin, I. Kuehne, and G. Schrag. “Electrohydrodynamic Printing of Conductive Microstrips on Hyperelastic Substrates for Fabrication of Flexible and Stretchable Sensors”. In: *IEEE International Conference on Flexible and Printable Sensors and Systems (IEEE FLEPS)*. Tampere, Finland, July 2024, pp. 1–4. DOI: [10.1109/FLEPS61194.2024.10603845](https://doi.org/10.1109/FLEPS61194.2024.10603845). URL: <https://ieeexplore.ieee.org/document/10603845>.
- [25] I. Kuehne, N. Philippin, and A. Frey. “Frequency-controlled Manipulation Of Particles In A Liquid Column Based On AC Dielectrophoresis”. In: *COMSOL Conference*. Munich, Germany, Oct. 2023. URL: <https://www.comsol.com/paper/frequency-controlled-manipulation-of-particles-in-a-liquid-column-based-on-ac-di-122241>.

- [26] N. Philippin, I. Kuehne, and G. Schrag. “Electric-Field-Assisted Printing Technology for Enhanced Patterning of Micro- and Nanostructures”. In: *Mikrosystemtechnik-Kongress*. Dresden, Germany, Oct. 2023, pp. 205–210. ISBN: 978-3-8007-6203-3. URL: <https://ieeexplore.ieee.org/document/10483214>.
- [27] N. Philippin, A. Frey, and I. Kuehne. “Low-Cost Fabrication of Micro Elastofluidic Systems with Integrated 3D-Shaped Electrodes for Particle-Based Separation Processes”. In: *Mikrosystemtechnik-Kongress*. Ludwigsburg, Germany, Nov. 2021, pp. 582–585. ISBN: 978-3-8007-5656-8. URL: <https://ieeexplore.ieee.org/document/9698371>.
- [28] A. Frey, N. Boldt, A. Barai, M. Birkholz, I. Kuehne, and R. Thewes. “Modeling and Analysis of the Electrolyte Voltage Drop in Dielectrophoresis Actuators”. In: *IEEE Biomedical Circuits and Systems Conference (BioCAS)*. Berlin, Germany, Oct. 2021. DOI: [10.1109/BioCAS49922.2021.9645024](https://doi.org/10.1109/BioCAS49922.2021.9645024). URL: <https://ieeexplore.ieee.org/document/9645024>.
- [29] I. Kuehne, N. Philippin, and A. Frey. “Grundlagen des Skalierungsverhaltens von translatorischen Energiewandlern”. In: *Symposium Elektromagnetismus*. online, Mar. 2021, pp. 191–202. ISBN: 978-3-943563-48-1.
- [30] S. Unseld, A. Baumer, R. Goller, T. Koch, I. Kuehne, and A. Frey. “Design and Analysis of a Hyperelastic Pneumatic Honeycomb Network Made of Ecoflex 00-35”. In: *COMSOL Conference*. online, Oct. 2020. URL: <https://www.comsol.com/paper/design-and-analysis-of-a-hyperelastic-pneumatic-honeycomb-network-made-of-ecoflex-94101>.
- [31] N. Philippin, A. Schreivogel, I. Kuehne, and J. Kostelnik. “Elektronik einer neuen Dimension - Potenziale dehnbare Folien-systeme bei der Entwicklung interaktiver Mikroimplantate”. In: *EBL 2020 – Elektronische Baugruppen und Leiterplatten - 10. DVS/GMM-Tagung*. Fellbach, Germany, Feb. 2020, pp. 68–73. ISBN: 978-3-8007-5185-3. URL: <https://www.vde-verlag.de/proceedings-de/455185012.html>.
- [32] C. Panhans, T. Koch, I. Kuehne, S. Leonhard, R. Hilliges, R. Stolle, and A. Frey. “Modelling of a Thermal Time-of-Flight Sensor for Low Rate Open Channel Flow”. In: *COMSOL Conference*. Cambridge, UK, Sept. 2019. URL: <https://www.comsol.com/paper/modelling-of-a-thermal-time-of-flight-sensor-for-low-rate-open-channel-flow-82401>.
- [33] A. Frey, R. Grossmann, T. Koch, and I. Kuehne. “Eigenfrequency-App For University Laboratory Education”. In: *COMSOL Conference*. Lausanne, Switzerland, Oct. 2018. URL: <https://www.comsol.com/paper/eigenfrequency-app-for-university-laboratory-education-64321>.
- [34] M. Michatz, S. Janson, G. Schlick, I. Kuehne, and A. Frey. “Modelling Of Substrate Plate Pre-heating To Predict Efficiency In The Electron Beam Melting Process”. In: *COMSOL Conference*. Lausanne, Switzerland, Oct. 2018. URL: <https://www.comsol.com/paper/eigenfrequency-app-for-university-laboratory-education-64321>.
- [35] N. Philippin, A. Frey, M. Michatz, and I. Kuehne. “3D-Printed Microfluidic Chip System for Dielectrophoretic Manipulation of Colloids”. In: *COMSOL Conference*. Lausanne, Switzerland, Oct. 2018. URL: <https://www.comsol.com/paper/3d-printed-microfluidic-chip-system-for-dielectrophoretic-manipulation-of-colloids-62941>.
- [36] S. Ciba, A. Frey, and I. Kuehne. “Rotary Capacitor Measurement Setup for Evaluating the Internal Biasing of Electrostatic Energy Harvesters”. In: *Mikrosystemtechnik-Kongress*. Munich, Germany, Oct. 2017, pp. 460–463. ISBN: 978-3-8007-4491-6. URL: <https://ieeexplore.ieee.org/document/8278694>.
- [37] S. Ciba, A. Frey, and I. Kuehne. “Analysis of Geometrical Aspects of a Kelvin Probe”. In: *COMSOL Conference*. Munich, Germany, Oct. 2016. URL: <https://www.comsol.com/paper/analysis-of-geometrical-aspects-of-a-kelvin-probe-40251>.
- [38] A. Frey, I. Kuehne, R. Grossmann, T. Frommelt, L. Fromme, and T. Koch. “Analysis of an Inductive Proximity Sensor”. In: *COMSOL Conference*. Munich, Germany, Oct. 2016. URL: <https://www.comsol.com/paper/analysis-of-an-inductive-proximity-sensor-37911>.
- [39] A. Frey, I. Kuehne, R. Grossmann, T. Frommelt, L. Fromme, and T. Koch. “Modellierung eines induktiven Naeherungssensors”. In: *Symposium Elektromagnetismus*. Kuenzelsau, Germany, Mar. 2016, pp. 133–139. ISBN: 978-3-9435-6324-5.
- [40] M. Wagner, T. Koch, I. Kuehne, and A. Frey. “Analysis of Static Stress in a Bicycle Chain Plate”. In: *COMSOL Conference*. Grenoble, France, Oct. 2015. URL: <https://www.comsol.com/paper/analysis-of-static-stress-in-a-bicycle-chain-plate-29101>.

- [41] S. Huang, L. Sun, A. Frey, H. Seidel, and I. Kuehne. “Miniaturized vibration-based energy harvesters for autonomous sensor systems”. In: *23. Internationale Wissenschaftliche Konferenz Mittweida*. Mittweida, Germany, 2014.
- [42] S. Huang, L. Sun, A. Frey, H. Seidel, and I. Kuehne. “Scaling effects of miniaturized vibration-based energy harvesters”. In: *Elektronik Power Management Congress*. Munich, Germany, 2014.
- [43] X. Li, T. Hehn, M. Thewes, I. Kuehne, A. Frey, G. Scholl, and Y. Manoli. “Non-Resonant Electromagnetic Energy Harvester For Car-Key Applications”. In: *PowerMEMS 2013 - 13th International Workshop on Micro and Nanotechnology for Power Generation and Energy Conversion Applications*. London, UK, 2013, pp. 461–465. DOI: [10.1088/1742-6596/476/1/012096](https://doi.org/10.1088/1742-6596/476/1/012096). URL: <https://iopscience.iop.org/article/10.1088/1742-6596/476/1/012096>.
- [44] J. Warmuth, T. Zimmermann, M. Schreiter, A. Frey, and I. Kuehne. “Wireless-Based Energy Autonomous Tire Pressure Monitoring System”. In: *SENSOR 2013*. Nuremberg, Germany, 2013, pp. 384–388. DOI: [10.5162/sensor2013/C3.2](https://doi.org/10.5162/sensor2013/C3.2). URL: <https://www.ama-science.org/proceedings/details/1530>.
- [45] R. Weiss, M. Schienle, H. Eckert, I. Kuehne, A. Frey, and B. Kruemmer. “Efficient Solar Powered Wireless Sensor Solution”. In: *EuMC 2013 - 43rd European Microwave Conference*. Nuremberg, Germany, 2013, pp. 912–915. DOI: [10.23919/EuMC.2013.6686806](https://doi.org/10.23919/EuMC.2013.6686806). URL: <https://ieeexplore.ieee.org/document/6686806>.
- [46] I. Kuehne, X. Li, T. Hehn, M. Thewes, D. Wagner, Y. Manoli, G. Scholl, and A. Frey. “Miniaturisierte energieautarke Sensorsysteme für automobiler Applikationen”. In: *3. Landshuter Symposium Mikrosystemtechnik*. Landshut, Germany, 2012, pp. 303–310. ISBN: 978-3-9812-6962-8.
- [47] R. Weiss, B. Kruemmer, M. Schienle, H. Eckert, I. Kuehne, and A. Frey. “Efficient Solar Powered Wireless Sensor Solution”. In: *3. Landshuter Symposium Mikrosystemtechnik*. Landshut, Germany, 2012, pp. 255–262. ISBN: 978-3-9812-6962-8.
- [48] T. Zimmermann, A. Frey, M. Schreiter, J. Seidel, and I. Kuehne. “Self-Powered MEMS-Based Wireless Sensor Node”. In: *16. GMA/ITG-Fachtagung Sensoren und Messsysteme 2012*. Nuremberg, Germany, 2012, pp. 522–530. DOI: [10.5162/sensoren2012/5.1.4](https://doi.org/10.5162/sensoren2012/5.1.4). URL: <https://www.ama-science.org/proceedings/details/764>.
- [49] T. Zimmermann, A. Frey, M. Schreiter, J. Seidel, and I. Kuehne. “MEMS-based Piezoelectric Energy Harvesting Modules for Distributed Automotive Tire Sensors”. In: *IEEE Conference on Sensors, Circuits and Instrumentation Systems 2012*. Chemnitz, Germany, 2012. DOI: [10.1109/SSD.2012.6198097](https://doi.org/10.1109/SSD.2012.6198097). URL: <https://ieeexplore.ieee.org/document/6198097>.
- [50] T. Zimmermann, A. Frey, M. Schreiter, J. Seidel, and I. Kuehne. “Energieautarker MEMS-basierter kabelloser Sensorknoten”. In: *3. Landshuter Symposium Mikrosystemtechnik*. Landshut, Germany, 2012, pp. 183–191. ISBN: 978-3-9812-6962-8.
- [51] A. Frey, X. Li, T. Hehn, M. Thewes, D. Wagner, M. Schienle, Y. Manoli, G. Scholl, and I. Kuehne. “Energieautarke Mikrosysteme für automobiler Anwendungen”. In: *Mikrosystemtechnik-Kongress*. (invited paper and talk). Darmstadt, Germany, 2011, pp. 297–300. ISBN: 978-3-8007-3367-5. URL: <https://www.vde-verlag.de/proceedings-de/453367070.html>.
- [52] A. Frey, M. Schreiter, J. Seidel, and I. Kuehne. “System modeling of a piezoelectric energy harvesting module for environments with high dynamic forces”. In: *SPIE Conference on Smart Sensors, Actuators and MEMS*. Vol. 8066. 1P. Praha, Czech Republic, 2011. DOI: [10.1117/12.886749](https://doi.org/10.1117/12.886749). URL: <https://www.spiedigitallibrary.org/conference-proceedings-of-spie/8066/80661P/System-modeling-of-a-piezoelectric-energy-harvesting-module-for-environments/10.1117/12.886749.short>.
- [53] A. Frey, J. Seidel, M. Schreiter, and I. Kuehne. “Piezoelectric MEMS energy harvesting module based on non-resonant excitation”. In: *Transducers - The 16th International Conference on Solid-State Sensors, Actuators and Microsystems*. Beijing, China, 2011, pp. 683–686. DOI: [10.1109/TRANSDUCERS.2011.5969849](https://doi.org/10.1109/TRANSDUCERS.2011.5969849). URL: <https://ieeexplore.ieee.org/document/5969849>.
- [54] T. Hehn, D. Maurath, F. Hagedorn, D. Marinkovic, I. Kuehne, A. Frey, and Y. Manoli. “A Fully Autonomous Pulsed Synchronous Charge Extractor for High-Voltage Piezoelectric Harvesters”. In: *ESSCIRC2011 - 37th European Solid-State Circuits Conference*. Helsinki, Finland, 2011, pp. 371–374. DOI: [10.1109/ESSCIRC.2011.6044984](https://doi.org/10.1109/ESSCIRC.2011.6044984). URL: <https://ieeexplore.ieee.org/document/6044984>.

- [55] I. Kuehne, A. van der Linden, J. Seidel, M. Schreiter, L. Fromme, and A. Frey. “Fluid-Structure Interaction Modeling for an Optimized Design of a Piezoelectric Energy Harvesting MEMS Generator”. In: *COMSOL Conference*. (invited paper and talk). Ludwigsburg, Germany, 2011. URL: <https://www.comsol.com/paper/fluid-structure-interaction-modeling-for-an-optimized-design-of-a-piezoelectric-11860>.
- [56] I. Kuehne, M. Schreiter, H. Seidel, and A. Frey. “Optimum design of a piezoelectric MEMS generator for fluid-actuated energy harvesting”. In: *IEEE MEMS 2011 - The 24th International Conference on Micro Electro Mechanical Systems*. Cancun, Mexico, 2011, pp. 1317–1320. DOI: [10.1109/MEMSYS.2011.5734676](https://doi.org/10.1109/MEMSYS.2011.5734676). URL: <https://ieeexplore.ieee.org/document/5734676>.
- [57] I. Kuehne, M. Schreiter, J. Seidel, H. Seidel, and A. Frey. “A novel MEMS design of a piezoelectric generator for fluid-actuated energy conversion”. In: *SPIE Conference on Smart Sensors, Actuators and MEMS*. Vol. 8066. 17. Praha, Czech Republic, 2011. DOI: [10.1117/12.886367](https://doi.org/10.1117/12.886367). URL: <https://www.spiedigitallibrary.org/conference-proceedings-of-spie/8066/1/A-novel-MEMS-design-of-a-piezoelectric-generator-for-fluid/10.1117/12.886367.short>.
- [58] I. Kuehne, J. Seidel, M. Schreiter, H. Seidel, and A. Frey. “A new approach of a shape-optimized piezoelectric MEMS generator for fluid-actuated energy scavenging”. In: *Transducers - The 16th International Conference on Solid-State Sensors, Actuators and Microsystems*. Beijing, China, 2011, pp. 671–674. DOI: [10.1109/TRANSDUCERS.2011.5969843](https://doi.org/10.1109/TRANSDUCERS.2011.5969843). URL: <https://ieeexplore.ieee.org/document/5969843>.
- [59] X. Li, D. Spreemann, T. Hehn, M. Thewes, G. Scholl, I. Kuehne, A. Frey, D. Wagner, and Y. Manoli. “Energieautarker EDW-Sensor im Fahrzeug”. In: *Mikrosystemtechnik-Kongress*. Darmstadt, Germany, 2011, pp. 1008–1010. ISBN: 978-3-8007-3367-5. URL: <https://www.vde-verlag.de/proceedings-de/453367255.html>.
- [60] A. Frey, P. Kruppa, I. Kuehne, M. Schienle, N. Persike, G. Hartwich, and H. Seidel. “Digital Potentiostat For Electrochemical Bio Sensor Chips”. In: *ESSCIRC2010 - 40th European Solid-State Circuits Conference*. Sevilla, Spain, 2010, pp. 390–393. DOI: [10.1109/ESSCIRC.2010.5619725](https://doi.org/10.1109/ESSCIRC.2010.5619725). URL: <https://ieeexplore.ieee.org/document/5619725>.
- [61] A. Frey, I. Kuehne, D. Marinkovic, M. Schreiter, and D. Wagner. “System design of a miniaturized piezoelectric energy harvesting module for power autonomous applications”. In: *2. Landshuter Symposium Mikrosystemtechnik*. Landshut, Germany, 2010, pp. 171–180. ISBN: 978-3-0003-0325-8.
- [62] A. Frey, M. Schreiter, J. Seidel, X. Li, D. Wagner, and I. Kuehne. “Systementwurf eines MST basierten piezoelektrischen Versorgungsmoduls für energieautarke Anwendungen”. In: *6. GMM-Workshop - Energieautarke Sensorik (Mikrosensorik mit autarker Energieversorgung und drahtloser Signalübertragung)*. (invited paper and talk). Hamburg, Germany, 2010, pp. 64–69. ISBN: 978-3-8007-3321-7. URL: <https://www.vde-verlag.de/proceedings-de/453321010.html>.
- [63] A. Frey, J. Seidel, and I. Kuehne. “System design of a piezoelectric energy harvesting module based on pulsed mechanical excitation”. In: *PowerMEMS 2010 - 10th International Workshop on Micro and Nanotechnology for Power Generation and Energy Conversion Applications*. Leuven, Belgium, 2010, pp. 29–32.
- [64] P. Kruppa, A. Frey, I. Kuehne, M. Schienle, and D. Schmitt-Landsiedel. “CMOS-basierte chronocoulometrische 24x16 DNA-Sensor-Array-Plattform”. In: *11. ITG/GMM-Fachtagung ANALOG 2010 (Entwicklung von Analogschaltungen mit CAE-Methoden)*. Erfurt, Germany, 2010, pp. 139–144. ISBN: 978-3-8007-3224-1.
- [65] P. Kruppa, A. Frey, M. Schienle, I. Kuehne, and D. Schmitt-Landsiedel. “A digital CMOS-based 24x16 sensor array platform for fully automatic electrochemical DNA detection”. In: *Biosensors 2010 - 20th Anniversary World Congress on Biosensors*. Glasgow, Scotland, 2010.
- [66] P. Kruppa, A. Frey, M. Schienle, I. Kuehne, and D. Schmitt-Landsiedel. “Digitale CMOS-basierte chronocoulometrische DNA-Sensor Array Plattform”. In: *2. Landshuter Symposium Mikrosystemtechnik*. Landshut, Germany, 2010, pp. 199–208. ISBN: 978-3-0003-0325-8.
- [67] I. Kuehne, A. Frey, D. Marinkovic, M. Schreiter, and H. Seidel. “Mikromechanische Energiewandler für energieautarke Mikrosysteme”. In: *2. Landshuter Symposium Mikrosystemtechnik*. Landshut, Germany, 2010, pp. 233–242. ISBN: 978-3-0003-0325-8.
- [68] I. Kuehne, A. Frey, and H. Seidel. “Energieautarke Mikrosysteme unter Ausnutzung mikromechanischer Energiewandler”. In: *VDE Kongress*. (invited paper and talk). Leipzig, Germany, 2010. ISBN: 978-3-8007-3304-0. URL: <https://www.vde-verlag.de/proceedings-en/453304075.html>.

- [69] I. Kuehne, X. Li, T. Hehn, M. Thewes, D. Wagner, Y. Manoli, G. Scholl, and A. Frey. “Energieautarke Sensorik im Automobil”. In: *6. GMM-Workshop - Energieautarke Sensorik (Mikrosensorik mit autarker Energieversorgung und drahtloser Signalübertragung)*. (invited paper and talk). Hamburg, Germany, 2010, pp. 91–95. ISBN: 978-3-8007-3321-7. URL: <https://www.vde-verlag.de/proceedings-de/453321015.html>.
- [70] I. Kuehne, M. Schreiter, J. Seidel, and A. Frey. “Fluid-based energy conversion by means of a piezoelectric MEMS generator”. In: *PowerMEMS 2010 - 10th International Workshop on Micro and Nanotechnology for Power Generation and Energy Conversion Applications*. Leuven, Belgium, 2010, pp. 343–346.
- [71] D. Marinkovic, A. Frey, I. Kuehne, and G. Scholl. “Ein neuer ASIC für einen energieautarken drahtlosen Sensorknoten”. In: *2. Landshuter Symposium Mikrosystemtechnik*. Landshut, Germany, 2010, pp. 243–250. ISBN: 978-3-0003-0325-8.
- [72] A. Frey, M. Schienle, I. Kuehne, K. Hiltawsky, S. Meyburg, and H. Seidel. “Finite Element Method Based Design Optimization of Electrochemical Transducer Electrodes for Detection of Bio Molecules”. In: *Mikrosystemtechnik-Kongress*. Berlin, Germany, 2009, pp. 480–483. ISBN: 978-3-8007-3183-1. URL: <https://www.vde-verlag.de/proceedings-de/453183138.html>.
- [73] P. Kruppa, A. Frey, M. Schienle, I. Kuehne, and D. Schmitt-Landsiedel. “Digital CMOS-based Chronocoulometric DNA-Sensor Array Platform”. In: *ESSCIRC2009 - 35th European Solid-State Circuits Conference (Fringe Session)*. Athens, Greece, 2009.
- [74] I. Kuehne, P. Kruppa, A. Frey, and M. Schienle. “Optimierte digitale Ansteuerung eines CMOS-basierten Chiparrays zur DNA-Detektion”. In: *Mikrosystemtechnik-Kongress*. Berlin, Germany, 2009, pp. 554–557. ISBN: 978-3-8007-3183-1. URL: <https://www.vde-verlag.de/proceedings-de/453183138.html>.
- [75] D. Marinkovic, A. Frey, I. Kuehne, and G. Scholl. “A New Rectifier And Trigger Circuit For A Piezoelectric Microgenerator”. In: *Euroensors XXIII - 23th European Conference on Solid-State Transducers*. Lausanne, Switzerland, 2009, pp. 1447–1450. DOI: [10.1016/j.proche.2009.07.361](https://doi.org/10.1016/j.proche.2009.07.361). URL: <https://www.sciencedirect.com/science/article/pii/S1876619609003623>.
- [76] D. Marinkovic, A. Frey, I. Kuehne, and G. Scholl. “A new power processing circuit for an energy-harvesting wireless node”. In: *ESSDERC2009 - 39th European Solid-State Device Research Conference (Fringe Session)*. Athens, Greece, 2009.
- [77] I. Kuehne, A. Frey, D. Marinkovic, and H. Seidel. “Miniaturisierte piezoelektrische Energiewandler”. In: *5. GMM-Workshop - Energieautarke Sensorik (Mikrosensorik mit autarker Energieversorgung und drahtloser Signalübertragung)*. (invited paper and talk). Duesseldorf, Germany, 2008, pp. 113–117. ISBN: 978-3-8007-3146-6. URL: <https://www.vde-verlag.de/proceedings-de/453146003.html>.
- [78] I. Kuehne, D. Marinkovic, A. Frey, G. Eckstein, and H. Seidel. “Resonante mikromechanische Energiewandler”. In: *Mikrosystemtechnik-Kongress*. (invited paper and talk). Dresden, Germany, 2007, pp. 353–356. ISBN: 978-3-8007-3061-2. URL: <https://www.vde-verlag.de/proceedings-de/563061074.html>.
- [79] I. Kuehne, G. Eckstein, and H. Seidel. “A New Approach Of A MEMS Power Generator Based On A Piezoelectric Diaphragm”. In: *Euroensors XX - 20th European Conference on Solid-State Transducers*. Gothenburg, Sweden, 2006. ISBN: 978-91-631-9280-7.
- [80] I. Kuehne, G. Eckstein, and H. Seidel. “Si-basierte piezoelektrische Mikrogeneratoren”. In: *4. GMM-Workshop - Energieautarke Sensorik (Mikrosensorik mit autarker Energieversorgung und drahtloser Signalübertragung)*. Karlsruhe, Germany, 2006, pp. 113–117. ISBN: 3-8007-2987-3.
- [81] I. Kuehne, A. Frey, G. Eckstein, U. Schmid, and H. Seidel. “Design And Analysis Of A Capacitive Vibration-To-Electrical Energy Converter With Built-In Voltage”. In: *ESSDERC2006 - 36th European Solid-State Device Research Conference*. Montreux, Switzerland, 2006, pp. 138–141. DOI: [10.1109/ESSDER.2006.307657](https://doi.org/10.1109/ESSDER.2006.307657). URL: <https://ieeexplore.ieee.org/document/4099875>.
- [82] I. Kuehne, A. Frey, G. Eckstein, and H. Seidel. “Power MEMS - A Capacitive Vibration-To-Electrical Energy Converter With Built-In Voltage”. In: *Euroensors XX - 20th European Conference on Solid-State Transducers*. Gothenburg, Sweden, 2006. ISBN: 978-91-631-9280-7.
- [83] D. Sickert, I. Kuehne, S. Taeger, M. Mertig, W. Pompe, and Eckstein. “Utilizing Carbon Nanotubes For Pressure Sensing”. In: *Euroensors XX - 20th European Conference on Solid-State Transducers*. Gothenburg, Sweden, 2006. ISBN: 978-91-631-9280-7.

Other

- [84] N. Philippin, I. Kuehne, and G. Schrag. *Electrohydrodynamic Continuous Jet Printing of Silver Nanoparticle Inks on Heat-Resistant Substrates for Skin-Conformable Sensors*. 7th IEEE International Flexible Electronics Technology Conference (IFETC). Poster presentation. Vancouver, Canada, Aug. 2025.
- [85] A. Frey and I. Kuehne. *Design and Development of Microsystems within a Corporate Research Environment by Utilizing COMSOL Multiphysics*. COMSOL Conference. Keynote talk. Ludwigsburg, Germany, 2011. URL: <https://www.comsol.com/paper/design-and-development-of-microsystems-within-a-corporate-research-environment-b-11244>.